




Your Full-Service  
Cooling Technologies Company  
[www.paharpur.com](http://www.paharpur.com)

# DRIVE SHAFT SERIES 250

POWER TRANSMISSION UPTO


# 56 kW



**FULLY-FLOATING,  
ZERO-LOSS DRIVE SHAFTS**

**PAHARPUR LEADS**

Paharpur's dynamically balanced, fully-floating driveshafts deliver lossless performance in the turbulent conditions inside your cooling tower.



PAHARPUR  
SERIES 250

Paharpur delivers only perfectly balanced driveshafts – to ensure maximum stability and reliability during operation. With our fully-floating assemblies, there is no friction-loss and the shaft transmits torque to the gear reducer, greatly improving operating economy.

Perfect balancing is crucial to preserve the integrity of the drive train

**Fully-floating driveshafts have zero friction loss:**

Paharpur's driveshafts are fully-floating i.e., they are not supported by bearings. This type of assembly has zero friction-loss and when properly balanced, it can greatly improve operating economy.

**Perfect balancing ensures steady operation:**

When it comes to drive shafts, the difference between acceptable and exceptional performance is perfection in balancing. Paharpur's drive shafts are dynamically balanced to perfection at our facilities before shipping – this process involves careful and repetitive testing to attain perfect weight distribution across the axis of rotation.

Improperly balanced rotating equipment will cause damage to the

integrity of the drive train and might even result in abrupt breakdown of the system. Imperfect balancing is also often responsible for wear and tear of bushes, this detail is often overlooked by those who might not be as thorough with their manufacturing.

**The right material of construction:**

The first step to ensuring a high quality output is selecting the right material of construction. Paharpur's driveshafts are available in permutations of cast-iron, HDG steel, S5304 and S5316.

**Drive-train vs Direct-drive systems:**

Paharpur provides gear-driven systems for fan operation. Such a system has multiple advantages; firstly, it allows the motor to be placed outside the fan cylinder, i.e. outside the

moist air stream, this protects the motor from damage. Secondly, using a gear-reducer gives you greater control over fan speed, as opposed to a direct-drive system which must rely on the motor for speed control.

**Corrosion resistance:**

Driveshafts operate in a moist and turbulent atmosphere. This demands robust and corrosion resistant construction. MOC for Paharpur drive shafts are selected for their high corrosion resistant and robust properties, for long and reliable service lives.


Rely on Paharpur's in-depth and methodical approach to cooling tower design and manufacturing for the most reliable process cooling equipment.



Your Full-Service  
Cooling Technologies Company  
[www.paharpur.com](http://www.paharpur.com)

### NEOPRENE RUBBER BUSHINGS

These rubber bushings are effective shock absorbers and help to maintain alignment of the shaft and flanges.



No lubrication is required on Paharpur produced drive shafts

APPROX. WT. (kg)	MAXIMUM GEAR END BORE (mm)	MAXIMUM MOTOR END BORE (mm)	MAXIMUM OVERALL LENGTH (mm)	MAX. MOTOR kW @ 1450 RPM	ENGAGEMENT (mm)	TUBE DIAMETER (mm)	MAX. FAN DIA
54.5	60	75	3110	93.2	73±3	100 NB*	288"/24'

\*NB – Nominal Bore

**PAHARPUR COOLING TOWERS LTD.**

Paharpur House  
8/1/B Diamond Harbour Road  
Kolkata 700027, India  
Ph : +91 33 4013 3000  
Fax : +91 33 4013 3499  
pctccu@paharpur.com



Your Full-Service  
Cooling Technologies Company  
www.paharpur.com



**INDIAN SALES OFFICES**

**CHENNAI**

2G, Vishwapriya Apartment –  
3rd floor, Kasthuribhai Nagar,  
1st Cross Street, Adyar  
Chennai 600020  
Ph : +91-44-2490 0275  
+91-44-2490 3109  
Fax : +91-44-2490 3117  
E-Mail : pctmaa@paharpur.com

**BENGALURU**

Paharpur House  
41 Cunningham Road Cross  
Bangalore 560052  
Ph : +91-80-2226 5566-7  
+91-80-2234 1911  
Fax : +91-80-2225 3999  
E-Mail : pctblr@paharpur.com

**HYDERABAD**

3rd Floor, "The Grand"  
6-3-1090/B/4, Raj Bhavan Road  
Somajiguda  
Hyderabad 500082  
Ph : +91-40-2331 7081-3  
Fax : +91-40-2331 7081  
E-Mail : pcthyd@paharpur.com

**MUMBAI**

506 Navkar Chambers, 5th Floor  
'B'Wing, Andheri-Kurla Road  
Andheri (East)  
Mumbai 400059  
Phone : +91-22-4043 2432  
+91-22-2859 5924-26  
Fax : +91-22-2851 4913  
E-Mail : pctbom@paharpur.com

**NEW DELHI**

806 Ashoka Estate  
24 Barakhamba Road  
New Delhi 110001  
Ph : +91-11-2335 7846-50  
+91-11-2331 0826  
Fax : +91-11-2335 7851  
E-Mail : pctdel@paharpur.com

**VADODARA**

Plot No. 132 KV-I  
Manjusar-Savli GIDC  
Ta. : Savli, Dist. : Vadodara 391775  
Gujarat  
Ph : +91-2667- 264331-32  
Fax : +91-2667-264333  
E-Mail : pctbdq@paharpur.com

**INTERNATIONAL SALES OFFICES**

Lugano, Switzerland  
Izmir, Turkey  
Beijing, China  
Seoul, South Korea  
Denver / Bridgewater/  
Overland Park, USA

Brussels, Belgium  
Stabio, Switzerland  
Varese, Italy  
Madrid, Spain  
Lagos, Nigeria  
Mexico City, Mexico

An ISO 9001:2015,  
ISO 14001:2015 &  
OSHAS 18001:2007  
certified company

[www.paharpur.com](http://www.paharpur.com)

**PAHARPUR LEADS**

**Disclaimer:**

Paharpur's policy of continued improvement may necessitate data to be changed without notice. For the latest information, please contact Paharpur.